

| Production line | | | | | | |
|---|---------------------|----------------------|-----------------|------------------|---|---|
| Manufacturing site | | | | | | |
| Pack Tech approver | 1 st | 2 nd | | | | |
| Date | | | 1 | | | |
| Check Criteria | Details & Com | nents | | ecks | | - |
| Approvals | | | 1 st | 2 nd | | rtwork and |
| Market Approval | L | | | | Print | Specificatio |
| Regulatory Approval | | | | | | • |
| 3rd Party Approval | | | | | Trident Reference No: ZEN Ref: | RB449771 TR2056072 |
| Technical Drawing/ Cutter ref no. & PPI component code | | | | | | F |
| PPI component code number/s correct on artwork? | | | | | Action: Brand: | Fyboge |
| PPI component code number/s in correct position on artwork? | | | | | Category: | Fybogel FibreChew |
| Correct drawing for the production line? | | | | | Segment Group: Segment: | Citrus |
| Profile shape & dimensions | | | | | Pack Size: Market/Country: | 30Pack |
| Graphics layout/orientation | | | | | Date: | UK and Ireland 12/04/21 |
| Unwind diagram (PPTD1022/1-20) | | | | | RBH Contact: | Ivona Dimitrova |
| Printable areas/bleed | | | | | Artwork Tvr | e: BW Commerc |
| Varnish free areas | | | | | Component Code (2D if | |
| Variable coding position & dimensions | | | | | 2 nd Component Code (i | |
| Varnish and print requirements | | | | | Parent Technical Packag Finished Goods Code: | |
| Pre-printed headers (alignment and suitability) | | | | | Supply Point: | Biofarma |
| Embossing, Braille & Foil Blocking | | | | | 3rd Party Code Pharmacode No/NE: | (EP1_10/20 N/A |
| Separations on artwork | | | | | Edgemark Position: | N/A |
| Alignment within cutter | | | | | CAD Cam Ref: | Fybo-Lbl-D8381515-65mmx1 |
| Braille structure | | | | | Printer: Substrate: | Arca Etichette SPA (Milano, I PP - White |
| Verification Code Type; Pharma Code / 2D / OCV | | | | | Technical & Non Printin | |
| Bar sequence and/or number correct on artwork | | | | | Cutter | Cutter 2 (if applicable) |
| Bar sequence and/or number in correct position on artwork? | | | | | Guides | Guides 2 (if applicable) |
| Size (height, width, spacing, font) | | | | | Colours (Label _ Pee | el Read) |
| Direction of read | | | | | Process Magenta Proc | ess Cyan Process Yellow Pro |
| Light margins and print free areas | | | | $\left \right $ | 1 DIG | DIG DIG |
| Colour | | | | $\left \right $ | PANTONE 1235 C PANTO | |
| Repeat distance (reeled material) Cross check related docs ie BOM | | | | | 5 DIG | 6 DIG |
| Bar code Type; EAN, ITF, Code39, etc | | | | | | |
| Magnification / width and height | | | | $\left \right $ | | |
| Colour (e.g. black print on white background) | | | | | Colours (Label) | |
| Light margins & indicators | | | | | Process Yellow PANTO | DNE 286 C |
| Bearer bars & H gauges (if required) | | | | | | |
| Symbol grade (Pass = A,B,C; Action = D,F) | | | | | | |
| Bar code number (human readable) | | | | $\left \right $ | | |
| Bar code number (incident readaote) | | | | | | |
| Confirm bar code number from source | | | | $\left \right $ | BARCO | DE INFO |
| Cross check related docs (JDE/PID) | | | | | | |
| Photo-electric cell mark / edge marks | | | | $\left \right $ | Barcode Type: | EAN 13 |
| Present & per Tech drawing? | | | | | Barcode Number: Magnification: | 5011417582077 85% |
| Correct pitch? | | | | | Truncated By: | 0.0 mm 22.1 mm |
| Additional markings | | | | | Full Height: Bar Height (Smallest Ba | |
| e-mark, recycle logo etc | | | | $\left \right $ | BWR: | 40 microns |
| Legend box (RB specification) | | | | $\left \right $ | Encoded Data: | N/A |
| Correct component code | | | | $\left \right $ | | _ |
| Correct D spec / has cutter changed? | | | | $\left \right $ | | |
| Correct printer / has printer changed? | | | | $\left \right $ | | P |
| Correct Substrate | | | | $\left \right $ | | |
| A/W is set up appropriately for this substrate | - | | | | HEALT | H > HYGIENE > HOME |
| Edge mark details | | | | $\left \right $ | | |
| Pharmacode details | | | | | | $\overline{\mathbf{r}}$ |
| Colours & print process | - | | | | | \mathbf{Y} |
| Varnish | | | | | | TRIDENT |
| Barcode information | | | | | | ght House, Connaught Road, |
| General details are correct | | | | | | siness Park, Hull, HU7 3AP, England T: +44 (0) 1482 828100 |
| Pass / Fail comments and Signature | | | I | | | low resolution paper Canon colour |
| By approving the artwork referenced within this form I aut | horise it for relea | ase to the print sup | plier | | associated with this jo | b should be referred to for conten colour separation only. |
| Additional Comments | | | | | | 1 |
| | | | | | | IRCUMSTANCES SHOULD TH BE ALTERED WITHOUT PRIOF |
| | | | | | | SSION FROM TRIDENT. |
| | | | | | | |
| | | | | | STUDIO USE ONLY | Senthamil Tamilmani |
| Version 004 07/01/2020 | | | | | Sm•Art check results: | G=2; O=0; R=0; - ST - 12/04/21 1 |
| | | | | | | |

