

ZINC Ref: **EAS2734h LBL SUDOCREM ANTISEPTIC HEALING CREAM 400g TOSARA**

Version: **1** **7 December 2021**



Length: **224 mm**
Width: **53 mm**
Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM



Directions: Apply a thin layer to the skin as required. **Warnings:** Do not use if allergic to any of the ingredients. Keep out of the eyes, nose and mouth. If symptoms persist or if accidentally swallowed seek medical help. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Sodium benzoate may cause local irritation and may increase jaundice (yellowing of the skin and eyes) in newborn babies (up to 4 weeks old). **Side effects:** Occasionally local irritation occurs. If this happens seek medical help. **Reporting of side effects:** If you get any side effects talk to your doctor or pharmacist. You can report side effects via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. This helps to provide information on the safety of this medicine. Keep out of the sight and reach of children

Active ingredients (% w/w): zinc oxide 15.29, benzyl alcohol 0.39, benzyl benzoate 1.02, benzyl cinnamate 0.15, lanolin (hypo-allergenic) 4.02. Also contains: purified water, liquid paraffin, paraffin wax, beeswax, microcrystalline wax, sodium benzoate, linalyl acetate, propylene glycol, citric acid, butylated hydroxyanisole, sorbitan sesquioleate, lavender fragrance.

Revision date: December 2021

EAS2734h 13526-9
LOT EXP



Fire hazard. Do not smoke or go near naked flames; clothing & bedding with this product dried on them can catch fire easily.

MA Holder: Teva UK Ltd, Castleford, WF10 5HX, UK.
Manufacturer: Tosara Pharma Ltd., Baldoye Ind. Est., Dublin 13, Ireland
e-mail: general.enquiries@teva.uk.com PL 00289/2299



Nappy Rash • Eczema • Surface Wounds
sunburn • minor burns • acne • bed sores • chilblains



5 017007 601326 >

400g e

17 mm

42 mm

ZINC Ref: **EAS6244a LBL SUDOCREM ANTISEPTIC HEALING CREAM 400G (TUK) TROYAN**

Version: **1** 25 January 2022



Length: **224 mm**
 Width: **53 mm**
 Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM



Directions: Apply a thin layer to the skin as required. **Warnings:** Do not use if allergic to any of the ingredients. Keep out of the eyes, nose and mouth. If symptoms persist or if accidentally swallowed seek medical help. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Sodium benzoate may cause local irritation and may increase jaundice (yellowing of the skin and eyes) in newborn babies (up to 4 weeks old). **Side effects:** Occasionally local irritation occurs. If this happens seek medical help. **Reporting of side effects:** If you get any side effects talk to your doctor or pharmacist. You can report side effects via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. This helps to provide information on the safety of this medicine. Keep out of the sight and reach of children **Active ingredients (% w/w):** zinc oxide 15.29, benzyl alcohol 0.39, benzyl benzoate 1.02, benzyl cinnamate 0.15, lanolin (hypo-allergenic) 4.02. Also contains: purified water, liquid paraffin, paraffin wax, beeswax, microcrystalline wax, sodium benzoate, linalyl acetate, propylene glycol, citric acid, butylated hydroxyanisole, sorbitan sesquioleate, lavender fragrance. Revision date: December 2021

EAS6244a



LOT EXP




Fire hazard. Do not smoke or go near naked flames; clothing & bedding with this product dried on them can catch fire easily.

MA Holder: Teva UK Ltd, Castleford, WF10 5HX, UK.
 Manufacturer: Balkanpharma Troyan AD, 1 Krayrechna Street,
 5600 Troyan, Bulgaria e-mail: general.enquiries@teva.com PL 00289/2299



Nappy Rash • Eczema • Surface Wounds
 sunburn • minor burns • acne • bed sores • chilblains

400g e



ZINC Ref: **EAS2733h LBL SUDOCREM ANTISEPTIC HEALING CREAM 250g TOSARA**

Version: **1** **7 December 2021**



Length: **224 mm**
Width: **53 mm**
Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM



Directions: Apply a thin layer to the skin as required. **Warnings:** Do not use if allergic to any of the ingredients. Keep out of the eyes, nose and mouth. If symptoms persist or if accidentally swallowed seek medical help. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Sodium benzoate may cause local irritation and may increase jaundice (yellowing of the skin and eyes) in newborn babies (up to 4 weeks old). **Side effects:** Occasionally local irritation occurs. If this happens seek medical help. **Reporting of side effects:** If you get any side effects talk to your doctor or pharmacist. You can report side effects via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. This helps to provide information on the safety of this medicine. Keep out of the sight and reach of children
Active ingredients (% w/w): zinc oxide 15.29, benzyl alcohol 0.39, benzyl benzoate 1.02, benzyl cinnamate 0.15, lanolin (hypo-allergenic) 4.02. Also contains: purified water, liquid paraffin, paraffin wax, beeswax, microcrystalline wax, sodium benzoate, linalyl acetate, propylene glycol, citric acid, butylated hydroxyanisole, sorbitan sesquioleate, lavender fragrance.
Revision date: December 2021

EAS2733h 13526-9
LOT



Fire hazard. Do not smoke or go near naked flames; clothing & bedding with this product dried on them can catch fire easily.

MA Holder: Teva UK Ltd, Castleford, WF10 5HX, UK.
Manufacturer: Tosara Pharma Ltd., Baldoyle Ind. Est., Dublin 13, Ireland
e-mail: general.enquiries@teva.uk.com PL 00289/2299



Nappy Rash • Eczema • Surface Wounds
sunburn • minor burns • acne • bed sores • chilblains



250g e

16 mm

41.5 mm

ZINC Ref: **EAS6239a LBL SUDOCREM ANTISEPTIC HEALING CREAM 250G (TUK) TROYAN**

Version: **1** 25 January 2022



Length: **224 mm**
 Width: **53 mm**
 Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM



Directions: Apply a thin layer to the skin as required. **Warnings:** Do not use if allergic to any of the ingredients. Keep out of the eyes, nose and mouth. If symptoms persist or if accidentally swallowed seek medical help. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Sodium benzoate may cause local irritation and may increase jaundice (yellowing of the skin and eyes) in newborn babies (up to 4 weeks old). **Side effects:** Occasionally local irritation occurs. If this happens seek medical help. **Reporting of side effects:** If you get any side effects talk to your doctor or pharmacist. You can report side effects via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. This helps to provide information on the safety of this medicine. Keep out of the sight and reach of children **Active ingredients (% w/w):** zinc oxide 15.29, benzyl alcohol 0.39, benzyl benzoate 1.02, benzyl cinnamate 0.15, lanolin (hypo-allergenic) 4.02. Also contains: purified water, liquid paraffin, paraffin wax, beeswax, microcrystalline wax, sodium benzoate, linalyl acetate, propylene glycol, citric acid, butylated hydroxyanisole, sorbitan sesquileate, lavender fragrance. **Revision date:** December 2021

EAS6239a



LOT EXP



Fire hazard. Do not smoke or go near naked flames; clothing & bedding with this product dried on them can catch fire easily.

MA Holder: Teva UK Ltd, Castleford, WF10 5HX, UK.
 Manufacturer: Balkanpharma Troyan AD, 1 Krayrechna Street,
 5600 Troyan, Bulgaria e-mail: general.enquiries@teva.uk.com PL 00289/2299



5 017007 601302 >

Nappy Rash • Eczema • Surface Wounds
 sunburn • minor burns • acne • bed sores • chilblains

250g e

2

2

15

53

40

182

224

ZINC Ref: **EAS2732h LBL SUDOCREM ANTISEPTIC HEALING CREAM 175g TOSARA**

Version: **1** **7 December 2021**



Length: **195 mm**
 Width: **45 mm**
 Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM



Directions: Apply a thin layer to the skin as required. **Warnings:** Do not use if allergic to any of the ingredients. Keep out of the eyes, nose and mouth. If symptoms persist or if accidentally swallowed seek medical help. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Sodium benzoate may cause local irritation and may increase jaundice (yellowing of the skin and eyes) in newborn babies (up to 4 weeks old). **Side effects:** Occasionally local irritation occurs. If this happens seek medical help. **Reporting of side effects:** If you get any side effects talk to your doctor or pharmacist. You can report side effects via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. This helps to provide information on the safety of this medicine. Keep out of the sight and reach of children **Active ingredients (% w/w):** zinc oxide 15.29, benzyl alcohol 0.39, benzyl benzoate 1.02, benzyl cinnamate 0.15, lanolin (hypo-allergenic) 4.02. Also contains: purified water, liquid paraffin, paraffin wax, beeswax, microcrystalline wax, sodium benzoate, linalyl acetate, propylene glycol, citric acid, butylated hydroxyanisole, sorbitan sesquioleate, lavender fragrance. Revision date: December 2021

EAS2732h 19132-8
 LOT

teva
 EXP



Fire hazard. Do not smoke or go near naked flames; clothing & bedding with this product dried on them can catch fire easily.

MA Holder: Teva UK Ltd, Castleford, WF10 5HX, UK.
 Manufacturer: Tosara Pharma Ltd., Baldoye Ind. Est., Dublin 13, Ireland
 e-mail: general.enquiries@teva.uk.com PL 00289/2299



Nappy Rash • Eczema • Surface Wounds
 sunburn • minor burns • acne • bed sores • chilblains



175g e

16.5 mm

42 mm

ZINC Ref: **EAS6236a LBL SUDOCREM ANTISEPTIC HEALING CREAM 175G (TUK) TROYAN**

Version: **1** **25 January 2022**



Length: **195 mm**
 Width: **45 mm**
 Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM



Directions: Apply a thin layer to the skin as required. **Warnings:** Do not use if allergic to any of the ingredients. Keep out of the eyes, nose and mouth. If symptoms persist or if accidentally swallowed seek medical help. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Sodium benzoate may cause local irritation and may increase jaundice (yellowing of the skin and eyes) in newborn babies (up to 4 weeks old). **Side effects:** Occasionally local irritation occurs. If this happens seek medical help. **Reporting of side effects:** If you get any side effects talk to your doctor or pharmacist. You can report side effects via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. This helps to provide information on the safety of this medicine. Keep out of the sight and reach of children **Active ingredients (% w/w):** zinc oxide 15.29, benzyl alcohol 0.39, benzyl benzoate 1.02, benzyl cinnamate 0.15, lanolin (hypo-allergenic) 4.02. Also contains: purified water, liquid paraffin, paraffin wax, beeswax, microcrystalline wax, sodium benzoate, linalyl acetate, propylene glycol, citric acid, butylated hydroxyanisole, sorbitan sesquioleate, lavender fragrance. Revision date: December 2021

EAS6236a



LOT

EXP



Fire hazard. Do not smoke or go near naked flames; clothing & bedding with this product dried on them can catch fire easily.


MA Holder: Teva UK Ltd, Castleford, WF10 5HX, UK.
 Manufacturer: Balkanpharma Troyan AD, 1 Krayrechna Street, 5600 Troyan, Bulgaria
 e-mail: general.enquiries@teva.uk.com PL 00289/2299



Nappy Rash • Eczema • Surface Wounds
 sunburn • minor burns • acne • bed sores • chilblains



175g e



ZINC Ref: **EAS2731h LBL SUDOCREM ANTISEPTIC HEALING CREAM 125g TOSARA**

Version: **2** 14 December 2021



UK & Ireland Artwork Department

Length: **180 mm**
Width: **40 mm**
Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM



Directions: Apply a thin layer to the skin as required. **Warnings:** Do not use if allergic to any of the ingredients. Keep out of the eyes, nose and mouth. If symptoms persist or if accidentally swallowed seek medical help. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Sodium benzoate may cause local irritation and may increase jaundice (yellowing of the skin and eyes) in newborn babies (up to 4 weeks old). **Side effects:** Occasionally local irritation occurs. If this happens seek medical help. **Reporting of side effects:** If you get any side effects talk to your doctor or pharmacist. You can report side effects via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. This helps to provide information on the safety of this medicine. Keep out of the sight and reach of children **Active ingredients (% w/w):** zinc oxide 15.29, benzyl alcohol 0.39, benzyl benzoate 1.02, benzyl cinnamate 0.15, lanolin (hypo-allergenic) 4.02. Also contains: purified water, liquid paraffin, paraffin wax, beeswax, microcrystalline wax, sodium benzoate, linalyl acetate, propylene glycol, citric acid, butylated hydroxyanisole, sorbitan sesquiolate, lavender fragrance. Revision date: December 2021

EAS2731h 13452-9
LOT

teva
EXP



Fire hazard. Do not smoke or go near naked flames; clothing & bedding with this product dried on them can catch fire easily.

MA Holder: Teva UK Ltd, Castleford, WF10 5HX, UK.
Manufacturer: Tosara Pharma Ltd., Baldoyle Ind. Est., Dublin 13, Ireland
e-mail: general.enquiries@teva.uk PL 00289/2299



Nappy Rash • Eczema • Surface Wounds
sunburn • minor burns • acne • bed sores • chilblains



125g e

15mm

37mm

ZINC Ref: **EAS6233a LBL SUDOCREM ANTISEPTIC HEALING CREAM 125G (TUK) TROYAN**

Version: **1** 25 January 2022



UK & Ireland Artwork Department

Length: **180 mm**
 Width: **40 mm**
 Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM



Directions: Apply a thin layer to the skin as required. Warnings: Do not use if allergic to any of the ingredients. Keep out of the eyes, nose and mouth. If symptoms persist or if accidentally swallowed seek medical help. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Sodium benzoate may cause local irritation and may increase jaundice (yellowing of the skin and eyes) in newborn babies (up to 4 weeks old). Side effects: Occasionally local irritation occurs. If this happens seek medical help. Reporting of side effects: If you get any side effects talk to your doctor or pharmacist. You can report side effects via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. This helps to provide information on the safety of this medicine. Keep out of the sight and reach of children Active ingredients (% (w/w)): zinc oxide 15.29, benzyl alcohol 0.39, benzyl benzoate 1.02, benzyl cinnamate 0.15, lanolin (hypo-allergenic) 4.02. Also contains: purified water, liquid paraffin, paraffin wax, beeswax, microcrystalline wax, sodium benzoate, linalyl acetate, propylene glycol, citric acid, butylated hydroxyanisole, sorbitan sesquioleate, lavender fragrance. Revision date: December 2021

EAS6233a **teva**

Fire hazard. Do not smoke or go near naked flames; clothing & bedding with this product dried on them can catch fire easily.

MA Holder: Teva UK Ltd, Castleford, WF10 5HX, UK.
 Manufacturer: Balkanpharma Troyan AD, 1 Krayrechna Street, 5600 Troyan, Bulgaria
 e-mail: general.enquiries@teva.uk.com, PL_00289/2299

Sudocrem[®]
ANTISEPTIC HEALING CREAM

Nappy Rash • Eczema • Surface Wounds
 sunburn • minor burns • acne • bed sores • chilblains

125g e

ZINC Ref: **EAS2730h LBL SUDOCREM ANTISEPTIC HEALING CREAM 60g TOSARA**

Version: **1** 7 December 2021



Length: **140 mm**
 Width: **31 mm**
 Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM



TOP

MA Holder:
Teva UK Ltd,
Castelford,
WF10 5HX, UK.
Manufacturer:
Tosara Pharma Ltd.,
Baldoyle Ind. Est.,
Dublin 13, Ireland
PL 00289/2299

Active ingredients (% w/w):
zinc oxide 15.29, benzyl alcohol 0.39,
benzyl benzoate 1.02, benzyl cinnamate
0.15, lanolin (hypo-allergenic) 4.02.
Keep out of the sight and
reach of children

Directions:
Apply a thin
layer to the
skin as
required.

Sudocrem
ANTISEPTIC HEALING CREAM

Nappy Rash • Eczema • Surface Wounds
sunburn • minor burns • acne • bed sores • chilblains

Also contains:
purified water, liquid
paraffin, paraffin wax,
beeswax, microcrystalline
wax, sodium benzoate,
linalyl acetate, propylene
glycol, citric acid,
butylated hydroxyanisole, 5
sorbitan sesquioleate,
lavender fragrance.

LOT

teva
EXP

60g e

EAS2730h
13568-11

5 017007 601333 >

PEEL HERE
DO NOT
REMOVE

37 mm

11.5 mm

REVERSE

Warnings: Do not use if allergic to any of the ingredients. Keep out of the eyes, nose and mouth. If symptoms persist or if accidentally swallowed seek medical help. Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Sodium benzoate may cause local irritation and may increase jaundice (yellowing of the skin and eyes) in newborn babies (up to 4 weeks old). Side effects: Occasionally local irritation occurs. If this happens seek medical help. Reporting of side effects: If you get any side effects talk to your doctor or pharmacist. You can report side effects via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. This helps to provide information on the safety of this medicine.
 Revision date: December 2021
 e-mail: general.enquiries@teva.uk



Fire hazard. Do not smoke or go near naked flames; clothing & bedding with this product dried on them can catch fire easily.

BASE

Directions:
Apply a thin
layer to the
skin as
required.

60g e

Sudocrem
ANTISEPTIC HEALING CREAM

Nappy Rash • Eczema • Surface Wounds
sunburn • minor burns • acne • bed sores • chilblains

Also contains:
purified water, liquid
paraffin, paraffin wax,
beeswax, microcrystalline
wax, sodium benzoate,
linalyl acetate, propylene
glycol, citric acid,
butylated hydroxyanisole, 5
sorbitan sesquioleate,
lavender fragrance.

EAS2730h
13568-11

5 017007 601333 >



Length: **140 mm**
 Width: **31 mm**
 Depth: **-**

Colours Used:

Braille	PANTONE® 2665 C	PANTONE® COOL GREY 11 C
Non Varnish Area	PANTONE® 2635 C	PANTONE® RED 032 C
Template		

Braille reads in Marburg Medium:

SUDOCREM

